



**AUTO ELECTRICITY
EQUIPMENT & COMPONENTS**

DRIVE
QUALITY EQUIPMENT



2026/1

EXPORT EUROPE & USA

General	+32 (0)2 648 35 17
Accounting	+32 (0)2 626 02 16
Fax	+32 (0)2 648 65 95
Informations	info@casteels.fr
Orders	orders@casteels.fr



Alphabetical index	3	Butt connectors	25
Rotating and flashing lights	4	Heat shrinking butt connectors	26
LED rotating beacon flat mounting	4	Self-stripping terminals	26
LED rotating beacon magnetic version	4	Self-stripping terminals kits	26
LED rotating beacon DIN 14620-A version	5	Mixt clips	27
LED rotating beacon wireless version	5	Heat shrink sleeves	27
LED safety beacons	6	Junction sleeves	28
Worklights	7	Tubular terminals	28
8 LED oval worklamp	7	Round terminals	29
4 LED round worklamp	7	AMP Superseal connectors	30
9 LED round worklamp	8	Universal AMP connectors	31
4 LED square worklamp	8	Relays et flasher units	32
9 LED square worklamp	9	4-terminals mini-relay	32
16 LED square worklamp	9	5-terminals mini-relay	32
9 LED reversing light	10	5-terminals mini-changeover relay	32
Rear-view cameras	11	3-terminal flasher unit	33
Wireless rearview kit	11	Switches, buttons and indicators	34
Wired rearview kit	11	Push button	34
Bulbs	12	Push buttons	34
Halogen bulbs	12	Starter push button	34
Pear-shaped bulbs	12	"ENGINE START" push button	35
Grease lamps	13	Turn signal switch	35
Indicator & festoon bulbs	13	Toggle switches (plastic)	35
Wedge lamps	13	Toggle switches (metal)	36
Fuses	14	Toggle switches (metal)	36
Micro fuses	14	Pull-switch (short)	37
Mini fuses	14	LED pull-switches	37
Mini LED fuses	15	Illuminated rocker switches	37
Standard fuses	15	Oval rocker switches	38
Maxi fuses	16	10,2 mm indicators	38
Midi fuses	16	10,2 mm indicators	39
Mega fuses	17	Mini-alarm indicator	39
Ceramic & glass fuses mixed	17	Electrical connectivity	40
Fuse holders	18	7-pole aluminium plugs & sockets	40
Micro fuse holders	18	7-pole plugs & sockets	40
Mini fuse holders	18	13-pole plugs & sockets	40
Standard fuse holders	18	7 & 13 pole adapters	41
Maxi fuse holders	19	Cigar lighter socket	41
Electrical connectivity	20	Cigar lighter plug	41
Electrical wire	20	Battery terminals	42
Distribution strips	21	Battery terminals with bar	42
Insulation tape	21	Single clamp battery terminals	42
Clips	21	Double clamp battery terminals	42
Battery clamps	22	Disconnectable battery terminals	43
Eyelet terminals	22	Quick release battery terminals	43
Heatshrinking eyelet terminals mixed	23	Anti-theft battery terminal	43
Flat terminals	23	Tools	44
Flat terminals mixed	24	"Parc Fermé" karting toolkit	44
Cylindrical terminals	24	Damaged screws extractors	45
Cylindrical terminals mixed	25	Set of 9 HEX keys with extractors	45
Cylindrical terminals 100% insulated	25	External deburrers	46
		Magnetic bit holder + 6 bits	46

Universal socket 9-22mm	47
6-in-1 Extendable Screwdriver	47
Set of 6 screwdrivers	48
Ultra-flat stackable hand truck	48
Part numbers index	49
Notes	51

1
 10,2 mm indicators 38, 39
 13-pole plugs & sockets 40
 16 LED square worklamp 9

3
 3-terminal flasher unit 33

4
 4 LED round worklamp 7
 4 LED square worklamp 8
 4-terminals mini-relay 32

5
 5-terminals mini-changeover relay 32
 5-terminals mini-relay 32

6
 6-in-1 Extendable Screwdriver 47

7
 7 & 13 pole adapters 41
 7-pole aluminium plugs & sockets 40
 7-pole plugs & sockets 40

8
 8 LED oval worklamp 7

9
 9 LED reversing light 10
 9 LED round worklamp 8
 9 LED square worklamp 9

A
 AMP Superseal connectors 30
 Anti-theft battery terminal 43

B
 Battery clamps 22
 Battery terminals with bar 42
 Butt connectors 25

C
 Ceramic & glass fuses | mixed 17
 Cigar lighter plug 41
 Cigar lighter socket 41
 Clips 21
 Cylindrical terminals 24
 Cylindrical terminals | mixed 25
 Cylindrical terminals 100% insulated 25

D
 Damaged screws extractors 45
 Disconnectable battery terminals 43
 Distribution strips 21
 Double clamp battery terminals 42

E
 "ENGINE START" push button 35
 Electrical wire 20
 External deburrers 46
 Eyelet terminals 22

F
 Flat terminals 23
 Flat terminals | mixed 24

G
 Grease lamps 13

H
 Halogen bulbs 12
 Heat shrink sleeves 27
 Heat shrinking butt connectors 26
 Heatshrinking eyelet terminals | mixed 23

I
 Illuminated rocker switches 37
 Indicator & festoon bulbs 13
 Insulation tape 21

J
 Junction sleeves 28

L
 LED pull-switches 37
 LED rotating beacon | DIN 14620-A version 5
 LED rotating beacon | flat mounting 4
 LED rotating beacon | magnetic version 4
 LED rotating beacon | wireless version 5
 LED safety beacons 6

M
 Magnetic bit holder + 6 bits 46

M
 Maxi fuse holders 19
 Maxi fuses 16
 Mega fuses 17
 Micro fuse holders 18
 Micro fuses 14
 Midi fuses 16
 Mini fuse holders 18
 Mini fuses 14
 Mini LED fuses 15
 Mini-alarm indicator 39
 Mixt clips 27

O
 Oval rocker switches 38

P
 "Parc Fermé" karting toolkit 44
 Pear-shaped bulbs 12
 Pull-switch (short) 37
 Push button 34
 Push buttons 34

Q
 Quick release battery terminals 43

R
 Round terminals 29


S
 Self-stripping terminals 26
 Self-stripping terminals | kits 26
 Set of 6 screwdrivers 48
 Set of 9 HEX keys with extractors 45
 Single clamp battery terminals 42
 Standard fuse holders 18
 Standard fuses 15
 Starter push button 34

T
 Toggle switches (metal) 36
 Toggle switches (plastic) 35
 Tubular terminals 28
 Turn signal switch 35

U
 Ultra-flat stackable hand truck 48
 Universal AMP connectors 31
 Universal socket 9-22mm 47

W
 Wedge lamps 13
 Wired rearview kit 11
 Wireless rearview kit 11


LED ROTATING BEACON | FLAT MOUNTING



Light source:	10x LED 28W
Voltage:	12-24V
For road use:	Yes
Functions:	4 flashing modes & 8 rotation modes
Working temperature	-40°C - +65°C
Protection index:	IP67
Other certifications:	ECE R65, EMC R10

Part number	Description	
Packed in box		
902/18001	LED beacon light : flat mounting	1

LED ROTATING BEACON | MAGNETIC VERSION



Light source:	10x LED 28W
Voltage:	12-24V
For road use:	Yes
Functions:	4 flashing modes & 8 rotation modes
Working temperature	-40°C - +65°C
Protection index:	IP67
Other certifications:	ECE R65, EMC R10

Part number	Description	
Packed in box		
902/18002	LED beacon light : magnetic version Cigar lighter plug Spiral cord	1


LED ROTATING BEACON | DIN 14620-A VERSION



Light source:	10x LED 28W
Voltage:	12-24V
For road use:	Yes
Functions:	4 flashing modes & 8 rotation modes
Working temperature	-40°C - +65°C
Protection index:	IP67
Other certifications:	ECE R65, EMC R10

Part number	Description	
Packed in box		
902/18003	LED beacon light : fixing on DIN 14620-A rod	1

LED ROTATING BEACON | WIRELESS VERSION



Light source:	10x LED 28W
Voltage:	12-24V
For road use:	Yes
Functions:	4 flashing modes & 8 rotation modes
Working temperature	-40°C - +65°C
Protection index:	IP67
Other certifications:	ECE R65, EMC R10

Part number	Description	
Packed in box		
902/18004	LED beacon light Flat mounting & magnetic fixation Battery without cable With switch	1

LED SAFETY BEACONS

To secure a broken-down vehicle, mark out a bypass or a construction site




Batteries:	Li-Ion 700mAh ~3.7V
Dimensions	108x111x35mm
Charging time:	6 beacons : ~12h
	3 beacons : ~5h
	1 beacon : ~1h
Operating time:	~100h
Certifications:	IP68
	EMC R10
	CE / RoHS

Part number	Description	
Packed in box		
902/02000	<ul style="list-style-type: none"> ■ Case of 6 magnetic safety beacons with built-in charger Beacons with 9 functions: <ul style="list-style-type: none"> - Rotation - Quadruple flash - Flashing: single / alternating - SOS - Steady: high / low / 2xLED / 4xLED 	1
902/02002	<ul style="list-style-type: none"> ■ 10-function magnetic safety beacon: <ul style="list-style-type: none"> - rotation - quadruple flash - flash: single / alternating - SOS - steady: high / low / 2xLED / 4xLED - inspection lamp 	1

8 LED OVAL WORKLAMP

Wide light beam




Technical specifications

Dimensions:	142x62.5x123mm
Light source:	8x LED (1800lm)
Nominal voltage:	9-32V DC
Maximum power:	24W
Materials:	Body: aluminum Lens: plastic
IP rating:	IP67
Connections:	Deutsch DT04-2P
Mounting:	M8 nut

Part number	Description	Power	Light	Omega	U	Grid	Arrow	IP	Icon	
Packed in box										
900/00031	8x LED 24W / 1800lm	-	-	-	-	-	-	DT04	67	1

4 LED ROUND WORKLAMP

Wide lighting beam





Technical specifications

Dimensions:	70.2x53.6x102mm
Light source:	4x LED (880lm)
Nominal voltage:	9-32V DC
Max power:	12W (4 LED)
Material:	Body: aluminum Lens: plastic
IP rating:	IP67
Mounting:	M8 nut

Part number	Description	Power	Light	Omega	U	Grid	Arrow	IP	Icon
Packed in box									
900/00021	4x LED 12W / 880lm	-	-	-	-	-	-	67	1

9 LED ROUND WORKLAMP

Wide lighting beam





Technical specifications

Dimensions:	116x60.3x138mm
Light source:	9x LED (2200lm)
Nominal voltage:	9-32V DC
Max power:	27W (9 LED)
Materials:	Body: aluminum Lens: plastic
IP rating:	IP67
Mounting:	M8 nut

Part number	Description	🔌	👤	Ω	U	📏	IP	📦
900/00022	9x LED 27W / 2200lm	-	-	-	-	-	67	1

4 LED SQUARE WORKLAMP

Wide lighting beam




Technical specifications

Dimensions:	70.2x53.6x102mm
Light source:	4x LED (880lm)
Nominal voltage:	9-32V DC
Max power:	12W (4 LED)
Materials:	Body: aluminum Lens: plastic
IP rating:	IP67
Connection:	Cable output
Mounting:	M8 nut

Part number	Description	🔌	👤	Ω	U	📏	IP	📦
Packed in box								
900/00011	4x LED 12W / 880lm	-	-	-	-	-	67	1

9 LED SQUARE WORKLAMP

Wide lighting beam




Technical specifications

Dimensions:	108x44.3x135mm
Light source:	9x LED (2200lm)
Nominal voltage:	9-32V DC
Max power:	27W (9 LED)
Material:	Body: aluminium Lens: plastic
IP rating:	IP67
Connection:	cables outlet
Mounting:	M8 nut

Part number	Description	🔌	👤	Ω	U	📏	🔁	IP	📦
Packed in box									
900/00012	9x LED 27W / 2200lm	-	-	-	-	-	-	67	1

16 LED SQUARE WORKLAMP

Wide lighting beam





Technical specifications

Dimensions:	108x64.8x136mm
Light source:	16x LED (3071lm)
Nominal voltage:	9-32V DC
Max power:	48W (16 LED)
Material:	Body: aluminium Lens: plastic
IP rating:	IP67
Connection:	Deutsch DT04-2P
Mounting:	M8 nut

Part number	Description	🔌	👤	Ω	U	📏	🔁	IP	📦	
Packed in box										
900/00013	16x LED 48W / 3071lm	-	-	-	-	-	-	DT04	67	1

9 LED REVERSING LIGHT

Wide lighting beam



Part number	Description	🔌	👤	Ω	U	📏	↩️	IP	📦
Packed in box									
900/66001	9x LED Epistar 2.160lm / 6000K ECE R10 / ECE R27	-	-	-	-	-	-	68	

Technical specifications

Dimensions:	110x128x35mm
Light source:	9x LED (2160lm)
Nominal voltage:	12-24V DC
Max power:	27W (9 LED)
Material:	Body: aluminium Lens: plastic
IP rating:	IP68
Connection:	Cable exit
Mounting:	M8 nut

Designed for heavy goods vehicles, utility vehicles, construction equipment and agricultural vehicles, this road-approved reversing light with a wide beam optimizes rear illumination or lighting of the work area.

WIRELESS REARVIEW KIT



- Viewing angle: 120°
- Screen: 7" IPS
- Fixing:
 - ball joint
 - tilting
- Accessories:
 - Sun visor
 - Vehicle wiring
 - Cigarette lighter cable
 - Screws & adhesives
 - Mini screwdriver
 - Instructions

Part number	Description	
Packed in box		
970/020001	Ready-to-install wireless infrared rearview kit (0 lux), including 1 7" monitor + 1 rectangular rearview camera RoHS / REACH, CE, IP69K Can be completed with the accessories below, up to a maximum of 4 reversing cameras	1
Part number	Description	
Packed in box		
970/020010	Rectangular wireless camera	1
970/020011	Half-moon wireless camera	1


WIRED REARVIEW KIT



- Viewing angle: 120°
- Screen: 7" IPS
- Fixing:
 - ball joint
 - tilting
- Accessories:
 - Sun visor
 - Vehicle wiring
 - Cigarette lighter cable
 - Screws & adhesives
 - Mini screwdriver
 - Instructions


Part number	Description	
Packed in box		
970/010001	Ready-to-install wired infrared rearview kit (0 lux), including 1 7" monitor + 1 rectangular rearview camera RoHS / REACH, CE, IP69K Can be completed with the accessories below, up to a maximum of 4 reversing cameras	1
Part number	Description	
Packed in box		
970/010010	Rectangular wired camera	1
970/010011	Mini-wired camera	1
Packed in roll		
970/010020	5m video cabling for 1 camera	1
970/010021	10m video cabling for 1 camera	1
970/010022	15m video cabling for 1 camera	1
970/010023	20m video cabling for 1 camera	1

HALOGEN BULBS



Part number	Type	V	W	(E)	UV		
Packed in blister							
910/50001100	H1	12	55	✓	✓	P14.5s	1
910/50001109	H1	12	100	-	✓	P14.5s	1
910/50001110	H1	12	55	✓	✓	P14.5s	1
910/50001200	H1	24	70	✓	✓	P14.5s	1
910/50003100	H3	12	55	✓	✓	PK22s	1
910/50003109	H3	12	100	-	✓	PK22s	1
910/50003200	H3	24	70	✓	✓	PK22s	1
910/50004100	H4	12	60/55	✓	✓	P43t	1
910/50004109	H4	12	100/80	-	✓	P43t	1
910/50004110	H4	12	60/55	✓	✓	P43t	1
910/50004200	H4	24	75/70	✓	✓	P43t	1
910/50005100	H5	12	60/55	✓	✓	P45t	1
910/50005109	H5	12	100/80	-	✓	P45t	1
910/50006100	H6	12	6	✓	✓	BAX9s	2
910/50007100	H7	12	55	✓	✓	PX26d	1
910/50007110	H7	12	55	✓	✓	PX26d	1
910/50007200	H7	24	70	✓	✓	PX26d	1
910/50008100	H8	12	35	✓	✓	PGJ19-1	1
910/50009100	H9	12	65	✓	✓	PGJ19-5	1
910/50010100	H10	12	42	✓	✓	PY20d	1
910/50011100	H11	12	55	✓	✓	PGJ19-2	1
910/50011200	H11	24	70	✓	✓	PGJ19-2	1
910/50012100	H12	12	53	✓	✓	PZ20d	1
910/50015100	H15	12	55/15	✓	✓	PGJ23t-1	1
910/50015200	H15	24	60/20	✓	✓	PGJ23t-1	1
910/50021100	H21	12	21	✓	✓	BAY9s	2
910/50021120	HY21	12	21	✓	✓	BAY9s	2
910/50021200	H21	24	21	✓	✓	BAY9s	2
910/50885100	H885	12	50	✓	✓	PG13	1
910/50886100	H886	12	50	✓	✓	PGJ13	1
910/52000100	R2	12	40/45	✓	✓	P45t	1
910/52000200	R2	24	55/50	✓	✓	P45t	1
910/60365100	HB3	12	65	✓	✓	P20d	1
910/60455100	HB4	12	55	✓	✓	P22d	1

PEAR-SHAPED BULBS



Part number	Type	V	W	(E)	UV		
Packed in blister							
910/51021100	P21	12	21	✓	✓	BA15s	2
910/51021120	PY21	12	21	✓	✓	BAU15s	2
910/51021200	P21	24	21	✓	✓	BA15s	2
910/51021220	PY21	24	21	✓	✓	BAU15s	2
910/51024100	P21/4	12	24/4	✓	✓	PAZ15d	2
910/51025100	P21/5	12	21/5	✓	✓	BAY15d	2
910/51025200	P21/5	24	21/5	✓	✓	BAY15d	2

GREASE LAMPS




Part number	Type	V	W	(E)	UV		
Packed in blister							
910/53005100	R5	12	5	✓	-	BA15d	2
910/53005200	R5	24	5	✓	-	BA15d	2
910/53010100	R10	12	10	✓	-	BA15d	2
910/53010200	R10	24	10	✓	-	BA15d	2
910/53105100	R5	12	5	✓	-	BA15s	2
910/53105200	R5	24	5	✓	-	BA15s	2
910/53110100	R10	12	10	✓	-	BA15s	2
910/53110200	R10	24	10	✓	-	BA15s	2

INDICATOR & FESTOON BULBS



Part number	Type	V	W	(E)	UV		
Packed in blister							
910/54102100	T2	12	2	-	-	BA7s	2
910/54204100	T4	12	4	-	-	BA9s	2
910/54204200	T4	24	4	-	-	BA9s	2
910/55105100	C5	12	5	-	-	11x35	2
910/55105200	C5	24	5	-	-	11x35	2
910/55305100		12	5	-	-	11x41	2
910/55305200		24	5	-	-	11x41	2
910/57112100		12	1.2	-	-	B8.3d	2
910/57212100		12	1.2	-	-	B8.5d	2


WEDGE LAMPS



Part number	Type	V	W	(E)		
910/56103100	W3	12	3		W2.1x9.5d	2
910/56103200	W3	24	3		W2.1x9.5d	2
910/56105100	W5	12	5		W2.1x9.5d	2
910/56105110	W5	12	5		W2.1x9.5d	2
910/56105120	WY5	12	5		W2.1x9.5d	2
910/56105200	W5	24	5		W2.1x9.5d	2
910/56116100	W16	12	16		W2.1x9.5d	2
910/56401100	W1.2	12	1.2		W2x4.6d	2
910/56401200	W1.2	24	1.2		W2x4.6d	2

MICRO FUSES


10.9x8.7mm / ISO 8820-3 / JASO D612 / SAE J2077



Part number	A	max.V	Remarks	
Packed in blister				
915/10010020	2	58		10
915/10010030	3	58		10
915/10010040	4	58		10
915/10010050	5	58		10
915/10010075	7.5	58		10
915/10010100	10	58		10
915/10010150	15	58		10
915/10010200	20	58		10
915/10010250	25	58		10
915/10010300	30	58		10
915/10110001	MIX	58	Mix 10 fuses: 1x 2A, 1x 3A, 1x 4A, 1x 5A, 1x 7.5A, 1x 10A, 1x 15A, 1x 20A, 1x 25A, 1x 30A	10

MINI FUSES

11.1x16.2mm / ISO 8820-3 / JASO D612 / SAE J2077




Part number	A	max.V	Remarks	
Packed in blister				
915/20010020	2	32		10
915/20010030	3	32		10
915/20010040	4	32		10
915/20010050	5	32		10
915/20010075	7.5	32		10
915/20010100	10	32		10
915/20010150	15	32		10
915/20010200	20	32		10
915/20010250	25	32		10
915/20010300	30	32		10
915/20110001	MIX	32	Mix 10 fuses: 1x 2A, 1x 3A, 1x 4A, 1x 5A, 1x 7.5A, 1x 10A, 1x 15A, 1x 20A, 1x 25A, 1x 30A	10
Packed in small box				
915/20019080	MIX	32	Box 80 fuses: 5x 3A, 5x 5A, 15x 7.5A, 15x 10A, 15x 15A, 15x 20A, 5x 25A, 5x 30A	80



MINI LED FUSES

10.9x17.0mm



Part number	A	max.V	Remarks	
Packed in blister				
915/21010020	2	32		10
915/21010030	3	32		10
915/21010040	4	32		10
915/21010050	5	32		10
915/21010075	7.5	32		10
915/21010100	10	32		10
915/21010150	15	32		10
915/21010200	20	32		10
915/21010250	25	32		10
915/21010300	30	32		10
915/21110001	MIX	32	Mix 10 fuses: 1x 2A, 1x 3A, 1x 4A, 1x 5A, 1x 7.5A, 1x 10A, 1x 15A, 1x 20A, 1x 25A, 1x 30A	10

STANDARD FUSES

19.2x19.2mm / ISO 8820-3 / JASO D612 / SAE J1284



Part number	A	max.V	Remarks	
Packed in blister				
915/30010010	1	32		10
915/30010020	2	32		10
915/30010030	3	32		10
915/30010040	4	32		10
915/30010050	5	32		10
915/30010075	7.5	32		10
915/30010100	10	32		10
915/30010150	15	32		10
915/30010200	20	32		10
915/30010250	25	32		10
915/30010300	30	32		10
915/30010400	40	32		10
915/30112001		32	Mix 12 fuses: 1x 1A, 1x 2A, 1x 3A, 1x 4A, 1x 5A, 1x 7.5A, 1x 10A, 1x 15A, 1x 20A, 1x 25A, 1x 30A, 1x 40A	12
915/30116002	MIX	32	Mix 16 fuses: 2x 5A, 2x 7.5A, 3x 10A, 3x 15A, 2x 20A, 2x 25A, 2x 30A	16
915/31112001	MIX	32	Mix 12 LED fuses: 1x 3A, 1x 4A, 1x 5A, 1x 7.5A, 1x 10A, 1x 15A, 2x 20A, 2x 25A, 2x 30A	12
Packed in small box				
915/30019080	MIX	32	Box 80 fuses: 5x 2A, 5x 3A, 5x 4A, 10x 5A, 10x 7.5A, 10x 10A, 10x 15A, 10x 20A, 20x 25A, 5x 30A	80
915/30019120	MIX	32	Box 120 fuses: 15x 3A, 15x 5A, 15x 7.5A, 15x 10A, 15x 15A, 15x 20A, 15x 25A, 15x 30A	120
915/30019160	MIX	32	Box 160 fuses: 20x 3A, 20x 5A, 20x 7.5A, 20x 10A, 20x 15A, 20x 20A, 20x 25A, 20x 30A	160

MAXI FUSES

29.5x34.1mm / ISO 8820-3 / SAE J1888



Part number	A	max.V	Remarks	
Packed in blister				
915/40002030		30	32	2
915/40002040		40	32	2
915/40002050		50	32	2
915/40002060		60	32	2
915/40002070		70	32	2
915/40002080		80	32	2
915/40002100		100	32	2
915/40107001	MIX	32	Mix 7 fuses: 1x 30A, 1x 40A, 1x 50A, 1x 60A, 1x 70A, 1x 80A, 1x 100A	7
Packed in small box				
915/40019015	MIX	32	Box 15 fuses: 1x 20A, 2x 30A, 3x 40A, 2x 50A, 3x 60A, 2x 70A, 1x 80A, 1x 100A	15

MIDI FUSES

12.0x41.0mm / ISO 8820-5 / JASO D612



Part number	A	max.V	Remarks	
Packed in blister				
915/50010030		30	58	10
915/50010040		40	58	10
915/50010050		50	58	10
915/50010060		60	58	10
915/50010070		70	58	10
915/50010080		80	58	10
915/50010100		100	58	10
915/50010125		125	58	10
915/50010150		150	58	10
915/50010200		200	58	10

MEGA FUSES

18.3x68.0mm / ISO 8820-5 / JASO D612



Part number	A	max.V	Remarks	
Packed in blister				
915/60002080		80	32	2
915/60002100		100	32	2
915/60002125		125	32	2
915/60002150		150	32	2
915/60002175		175	32	2
915/60002200		200	32	2
915/60002225		225	32	2
915/60002250		250	32	2
915/60002300		300	32	2
915/60002350		350	32	2
915/60002400		400	32	2
915/60002450		450	32	2
915/60002500		500	32	2

CERAMIC & GLASS FUSES | MIXED

Ceramic : 6.0x25.0mm

Glass : 5.0x20.0 / 6.0x32.0mm



Part number	Remarks	
Packed in blister		
915/70114001	Mix 12 ceramic fuses + 2 glass fuses: Ceramic : 2x 5A, 2x 8A, 2x 10A, 2x 16A, 2x 25A, 2x 40A Glass : 1x 5A, 1x 10A	14
915/80108001	Mix 8 glass fuses: 5x20mm : 2x 2A 6x32mm : 2x 1A, 2x 15A, 2x 25A	8
Packed in small box		
915/70019200	Box 200 ceramic fuses: 25x 5A, 50x 8A, 25x 10A, 50x 16A, 50x 25A	200

MICRO FUSE HOLDERS



Part number	Remarks	
Packed in blister		
915/19001001	Watertight Micro fuse holder (max.30A) Cable 30cm	1

MINI FUSE HOLDERS



Part number	Remarks	
Packed in blister		
915/29001001	Watertight Mini fuse holder	1
915/29001002	Mini fuse holder	1
915/29001003	Mini fuse holder With cover and fixing	1



STANDARD FUSE HOLDERS



Part number	Remarks	
Packed in blister		
915/39001001	Standard fuse holder With cover and fixing	1
915/39001002	Watertight Standard fuse holder With cover and fixing	1
915/39001003	Watertight Standard fuse holder	1
915/39001004	Watertight Standard fuse holder	1



MAXI FUSE HOLDERS



Part number	Remarks	
Packed in blister		
915/49001001	Maxi fuse holder	1
915/49001002	Maxi fuse holder With cover and fixing	1

ELETRICAL WIRE

Packaging in dispenser box (50m) or blister (10m)




Part number		Section	Ø strands	U _o /U	<HAR>	
Packed in box						
926/50750001		0.75 mm ²	0.21 mm	300/500 V	H05V-K	50m
926/50750002		0.75 mm ²	0.21 mm	300/500 V	H05V-K	50m
926/51000001		1.00 mm ²	0.21 mm	300/500 V	H05V-K	50m
926/51000002		1.00 mm ²	0.21 mm	300/500 V	H05V-K	50m
926/51000003		1.00 mm ²	0.21 mm	300/500 V	H05V-K	50m
926/51000004		1.00 mm ²	0.21 mm	300/500 V	H05V-K	50m
926/51000005		1.00 mm ²	0.21 mm	300/500 V	H05V-K	50m
926/51000006		1.00 mm ²	0.21 mm	300/500 V	H05V-K	50m
926/51000007		1.00 mm ²	0.21 mm	300/500 V	H05V-K	50m
926/51000008		1.00 mm ²	0.21 mm	300/500 V	H05V-K	50m
926/51500001		1.50 mm ²	0.26 mm	450/750 V	H07V-K	50m
926/51500002		1.50 mm ²	0.26 mm	450/750 V	H07V-K	50m
926/51500003		1.50 mm ²	0.26 mm	450/750 V	H07V-K	50m
926/51500004		1.50 mm ²	0.26 mm	450/750 V	H07V-K	50m
926/51500005		1.50 mm ²	0.26 mm	450/750 V	H07V-K	50m
926/51500006		1.50 mm ²	0.26 mm	450/750 V	H07V-K	50m
926/51500007		1.50 mm ²	0.26 mm	450/750 V	H07V-K	50m
926/51500008		1.50 mm ²	0.26 mm	450/750 V	H07V-K	50m
926/52500001		2.50 mm ²	0.26 mm	450/750 V	H07V-K	50m
926/52500002		2.50 mm ²	0.26 mm	450/750 V	H07V-K	50m
926/52500003		2.50 mm ²	0.26 mm	450/750 V	H07V-K	50m
926/52500004		2.50 mm ²	0.26 mm	450/750 V	H07V-K	50m
926/52500005		2.50 mm ²	0.26 mm	450/750 V	H07V-K	50m
926/52500006		2.50 mm ²	0.26 mm	450/750 V	H07V-K	50m
926/52500007		2.50 mm ²	0.26 mm	450/750 V	H07V-K	50m
926/52500008		2.50 mm ²	0.26 mm	450/750 V	H07V-K	50m
926/54000001		4.00 mm ²	0.31 mm	450/750 V	H07V-K	50m
926/54000002		4.00 mm ²	0.31 mm	450/750 V	H07V-K	50m
926/56000001		6.00 mm ²	0.31 mm	450/750 V	H07V-K	50m
926/56000002		6.00 mm ²	0.31 mm	450/750 V	H07V-K	50m
Packed in blister						
926/01000001		1.00 mm ²	0.21 mm	300/500 V	H05V-K	10m
926/01000002		1.00 mm ²	0.21 mm	300/500 V	H05V-K	10m
926/01500001		1.50 mm ²	0.26 mm	450/750 V	H07V-K	10m
926/01500002		1.50 mm ²	0.26 mm	450/750 V	H07V-K	10m
926/02500001		2.50 mm ²	0.26 mm	450/750 V	H07V-K	10m
926/02500002		2.50 mm ²	0.26 mm	450/750 V	H07V-K	10m


DISTRIBUTION STRIPS



Part number	Description	
Packed in blister		
928/01001102	2x distribution strip for 2.50 mm ² cross-section	2
928/01001112	2x distribution strip for 4.00 mm ² cross-section	2



INSULATION TAPE



Part number	Description	
Packed in blister		
928/00090219	19mm Black Insulating Tape	10m
928/00090419	19mm Yellow Insulating Tape	10m
928/00090719	19mm Red Insulating Tape	10m

CLIPS



Part number	Description	
Packed in blister		
926/10000510	Blister pack of 10 alligator clips: 5x black + 5x red Max 5A	10


BATTERY CLAMPS



Part number	Description	
Packed in blister		
926/10004002	Blister pack of 2 battery clamps: 1 black + 1 red Max 40A	2

EYELET TERMINALS

Double crimping



Part number			A	B	C	D	
Packed in blister							
920/10020103	■	M3	17.7	10.0	6.4	3.2	20
920/10020104	■	M4	18.5	10.0	6.6	4.3	20
920/10020105	■	M5	20.3	10.0	8.0	5.3	20
920/10020106	■	M6	22.5	10.0	11.6	6.7	20
920/10020108	■	M8	26.3	10.0	13.6	8.8	20
920/10020203	■	M3	18.0	10.5	6.4	3.2	20
920/10020204	■	M4	18.5	10.5	6.6	4.3	20
920/10020205	■	M5	21.0	10.5	9.5	5.3	20
920/10020206	■	M6	26.0	10.5	11.0	6.3	20
920/10020208	■	M8	26.5	10.5	12.0	8.4	20
920/10020210	■	M10	31.5	10.5	13.6	10.5	20
920/10020304	■	M4	26.0	13.0	9.5	4.3	20
920/10020305	■	M5	28.0	13.0	9.5	5.3	20
920/10020306	■	M6	29.5	13.0	12.0	6.7	20
920/10020308	■	M8	34.0	13.0	15.0	8.4	20
920/10020310	■	M10	34.5	13.0	15.0	10.5	20

HEATSHRINKING EYELET TERMINALS | MIXED


Simple crimping | shrinking ϑ t 110°C



Part number		Remarks	
Packed in blister			
920/10115001	■	Mix 15 heatshrinking terminals: 5x M4 + 5x M5 + 5x M6	15
920/10120001	■	Mix 20 heatshrinking terminals: 5x M4 + 5x M5 + 5x M6 + 5x M8	20
920/10120002	■	Mix 20 heatshrinking terminals: 5x M5 + 5x M6 + 5x M8 + 5x M10	20

FLAT TERMINALS


Double crimping



Part number		b1/b2	e	L	Remarks	
Packed in blister						
920/21020285	■	2.8	0.5	21.8	Male	20
920/24020285	■	2.8	0.5	22.0	Female	20
920/22020285	■	2.8	0.5	21.8	Male	20
920/25020285	■	2.8	0.5	22.0	Female	20
920/21020488	■	4.8	0.8	21.8	Male	20
920/24020488	■	4.8	0.8	22.0	Female	20
920/22020488	■	4.8	0.8	21.8	Male	20
920/25020488	■	4.8	0.8	22.0	Female	20
920/21020638	■	6.3	0.8	21.8	Male	20
920/24020638	■	6.3	0.8	22.0	Female	20
920/34020638	■	6.3	0.8	21.5	Female 100% insulated	20
920/22020638	■	6.3	0.8	21.8	Male	20
920/25020638	■	6.3	0.8	22.0	Female	20
920/35020638	■	6.3	0.8	21.5	Female 100% insulated	20
920/23020638	■	6.3	0.8	24.7	Male	20
920/26020638	■	6.3	0.8	24.6	Female	20
920/36020638	■	6.3	0.8	23.3	Female 100% insulated	20

FLAT TERMINALS | MIXED


Double crimping



Part number		b1/b2	e	L	Remarks	
Packed in blister						
920/21120285	■	2.8	0.5	21.8 22.0	10x male 10x female	20
920/21120488	■	4.8	0.8	21.8 22.0	10x male 10x female	20
920/21120638	■	6.3	0.8	21.8 22.0	10x male 10x female	20
920/22120285	■	2.8	0.5	21.8 22.0	10x male 10x female	20
920/22120488	■	4.8	0.8	21.8 22.0	10x male 10x female	20
920/22120638	■	6.3	0.8	21.8 22.0	10x male 10x female	20
920/23120638	■	6.3	0.8	24.7 24.6	10x male 10x female	20
920/31120638	■	6.3	0.8	22.0 21.5	10x male 10x female 100% insulated	20
920/32120638	■	6.3	0.8	22.0 21.5	10x male 10x female 100% insulated	20

CYLINDRICAL TERMINALS


Double crimping



Part number			d	L	Remarks	
Packed in blister						
920/41020004	■	M4	4.0	21.6	Male	20
920/42020004	■	M4	4.0	21.6	Male	20
920/42020005	■	M5	5.0	21.8	Male	20
920/43020005	■	M5	5.0	21.8	Male	20
920/44020004	■	M4	4.0	24.0	Female	20
920/45020004	■	M4	4.0	24.0	Female	20
920/45020005	■	M5	5.0	24.0	Female	20
920/46020005	■	M5	5.0	24.0	Female	20

CYLINDRICAL TERMINALS | MIXED


Double crimping



Part number		L	d	L	Remarks	
Packed in blister						
920/41120004	■	M4	4.0	21.8 24.0	10x male 10x female	20
920/42120004	■	M4	4.0	21.8 24.0	10x male 10x female	20
920/42120005	■	M5	5.0	21.8 24.0	10x male 10x female	20
920/43120005	■	M5	5.0	21.8 24.0	10x male 10x female	20

CYLINDRICAL TERMINALS 100% INSULATED


Double crimping



Part number		L	D	d	L	W	Remarks	
Packed in blister								
920/51020004	■	M4	4.2	1.8	23.3	4.0	Male	20
920/52020004	■	M4	5.2	2.6	23.3	4.0	Male	20
920/52020005	■	M5	5.2	2.6	23.3	5.0	Male	20
920/54020004	■	M4	4.2	1.8	23.1	4.0	Female	20
920/55020004	■	M4	5.2	2.6	23.1	4.0	Female	20
920/55020005	■	M5	5.2	2.6	23.1	5.0	Female	20

BUTT CONNECTORS


Double crimping



Part number		D	L	Remarks	
Packed in blister					
920/61020001	■	5.0	26.0	0.5 - 1.0mm ²	20
920/62020001	■	6.0	26.0	1.0 - 2.5mm ²	20
920/63020001	■	8.0	26.0	4.0 - 6.0 mm ²	20

HEAT SHRINKING BUTT CONNECTORS


Double crimping



Part number		D	L	
Packed in blister				
920/70010001		4.7	35.0	20
920/70010002		5.7	35.0	20
920/70010003		6.7	43.0	20

SELF-STRIPPING TERMINALS


Double crimping



Part number		Remarks	
Packed in blister			
920/91010001		0.5 - 1.0mm ²	10
920/92010001		1.0 - 2.5mm ²	10

SELF-STRIPPING TERMINALS | KITS


Double crimping



Part number		Remarks	
Packed in blister			
920/91120001		For 0.5 - 1.0mm ² wire Connectors + 6.3x0.8 red terminals	10
920/92120001		For 1.0 - 2.5mm ² wire Connectors + 6.3x0.8 blue terminals	10
920/93120001		For 4.0 - 6.0mm ² wire Connectors + 6.3x0.8 yellow terminals	10

MIXT CLIPS

Double crimping



Part number	b1/b2	e	L	Remarks	
Packed in blister					
920/80020638	6.3	0.8	22.5	10x red (0.5 - 1.0mm ²) 10x blue (1.0 - 2.5mm ²)	20

HEAT SHRINK SLEEVES


UL224 - RoHS | Blisters of 10pcs



Part number		D1	D2	L	T	Remarks	
Packed in blister							
923/10010032		1/8"	3.2	1.6	50	0.44	10
923/10010048		3/16"	4.8	2.4	50	0.56	10
923/10010064		1/4"	6.4	3.2	50	0.56	10
923/10010095		3/8"	9.5	4.75	50	0.56	10
923/10010127		1/2"	12.7	6.35	50	0.56	10
923/10010191		3/4"	19.1	9.55	50	0.56	10
923/10010999						2x 3.2 to 9.5mm 1x 12.7 & 1x 19.1mm	10

JUNCTION SLEEVES


Blisters of 5pcs



Part number		D	d	L	
Packed in blister					
922/32005001	16mm ²	8.0	5.6	26.2	5
922/33005001	25mm ²	9.5	7.1	30.5	5
922/34005001	35mm ²	11.0	8.2	30.5	5
922/35005001	50mm ²	12.5	9.5	35.5	5
922/36005001	70mm ²	15.0	11.5	35.5	5

TUBULAR TERMINALS


Blisters of 5pcs



Part number		A	B	C	F	G	H	
Packed in blister								
922/11005006	M6 10mm ²	1.2	12	6.5	25	4.5	6.2	5
922/11005008	M8 10mm ²	1.2	12	8.4	27	4.5	6.2	5
922/12005006	M6 16mm ²	1.4	12	6.5	30	5.4	7.1	5
922/12005008	M8 16mm ²	1.4	12	8.4	32	5.4	7.1	5
922/13005006	M6 25mm ²	2.0	13	6.5	30	6.8	8.8	5
922/13005008	M8 25mm ²	2.0	16	8.4	37	6.8	8.8	5
922/13005010	M10 25mm ²	2.0	16	10.5	37	6.8	8.8	5
922/14005006	M6 35mm ²	2.4	15	6.5	35	10.6	8.2	5
922/14005008	M8 35mm ²	2.4	15	8.4	35	10.6	8.2	5
922/14005010	M10 35mm ²	2.4	18	10.5	38	10.6	8.2	5
922/15005008	M8 50mm ²	2.9	18	8.4	43	9.5	12.4	5
922/15005010	M10 50mm ²	2.9	18	10.5	43	9.5	12.4	5
922/16005008	M8 70mm ²	3.5	21	8.4	50	11.2	14.7	5
922/16005010	M10 70mm ²	3.5	21	10.5	50	11.2	14.7	5
922/16005013	M13 70mm ²	3.5	21	13.0	50	11.2	14.7	5



ROUND TERMINALS

Blister of 5pcs



Part number		B	D	d	E	L	
Packed in blister							
922/21005006	M6 10mm ²	11	6.8	5.2	8	22.5	5
922/21005008	M8 10mm ²	15	6.8	5.2	8	27.0	5
922/22005006	M6 16mm ²	11	8.6	6.8	10.1	25.4	5
922/22005008	M8 16mm ²	14	8.6	6.8	10.3	31.0	5
922/23005006	M6 25mm ²	12	10.2	8.2	12.2	31.0	5
922/23005008	M8 25mm ²	12.7	10.2	8.2	12.6	33.0	5
922/23005010	M10 25mm ²	16.5	10.2	8.2	12.0	32.7	5
922/24005008	M8 35mm ²	16.0	12.1	9.7	14.0	37.0	5
922/24005010	M10 35mm ²	16.0	12.1	9.7	14.0	37.0	5
922/25005008	M8 50mm ²	19.0	13.8	11.0	16.0	42.0	5
922/25005010	M10 50mm ²	19.0	13.8	11.0	16.0	42.0	5
922/25005013	M13 50mm ²	19.0	13.8	11.0	16.0	42.0	5
922/26005010	M10 70mm ²	23.0	17.0	13.6	18.0	46.0	5
922/26005013	M13 70mm ²	23.0	17.0	13.6	18.0	46.0	5



AMP SUPERSEAL CONNECTORS

Complete kits : connectors, terminals & seals | 1.5mm²

Part number	Remarks	
Packed in blister		
921/10110001	1x 1 way male connector 1x 1 way female connector 1x male terminal 0.5 - 1.5mm ² 1x female terminal 0.5 - 1.5mm ² 2x watertight seal	1
921/10110002	1x 2 ways male connector 1x 2 ways female connector 2x male terminal 0.5 - 1.5mm ² 2x female terminal 0.5 - 1.5mm ² 4x watertight seal	1
921/10110003	1x 3 ways male connector 1x 3 ways female connector 3x male terminal 0.5 - 1.5mm ² 3x female terminal 0.5 - 1.5mm ² 6x watertight seal	1
921/10110004	1x 4 ways male connector 1x 4 ways female connector 4x male terminal 0.5 - 1.5mm ² 4x female terminal 0.5 - 1.5mm ² 8x watertight seal	1
921/10110005	1x 5 ways male connector 1x 5 ways female connector 5x male terminal 0.5 - 1.5mm ² 5x female terminal 0.5 - 1.5mm ² 10x watertight seal	1
921/10110006	1x 6 ways male connector 1x 6 ways female connector 6x male terminal 0.5 - 1.5mm ² 6x female terminal 0.5 - 1.5mm ² 12x watertight seal	1


UNIVERSAL AMP CONNECTORS

Complete kits : connectors & terminals




Part number		Remarks	
Packed in blister			
921/20110001	<input type="checkbox"/>	1x 1 way male connector 1x 1 way female connector 1x male terminal 0.5 - 1.5mm ² 1x female terminal 0.5 - 1.5mm ²	1
921/20110002	<input type="checkbox"/>	1x 2 way male connector 1x 2 way female connector 2x male terminal 0.5 - 1.5mm ² 2x female terminal 0.5 - 1.5mm ²	1
921/20110003	<input type="checkbox"/>	1x 3 way male connector 1x 3 way female connector 3x male terminal 0.5 - 1.5mm ² 3x female terminal 0.5 - 1.5mm ²	1
921/20110004	<input type="checkbox"/>	1x 4 way male connector 1x 4 way female connector 4x male terminal 0.5 - 1.5mm ² 4x female terminal 0.5 - 1.5mm ²	1
921/20110005	<input type="checkbox"/>	1x 5 way male connector 1x 5 way female connector 5x male terminal 0.5 - 1.5mm ² 5x female terminal 0.5 - 1.5mm ²	1
921/20110006	<input type="checkbox"/>	1x 6 way male connector 1x 6 way female connector 6x male terminal 0.5 - 1.5mm ² 6x female terminal 0.5 - 1.5mm ²	1
921/20110008	<input type="checkbox"/>	1x 8 way male connector 1x 8 way female connector 8x male terminal 0.5 - 1.5mm ² 8x female terminal 0.5 - 1.5mm ²	1

4-TERMINALS MINI-RELAY




Part number	Description	
Packed in blister		
927/01041120	12V 30A 4-terminals mini-relay	1

5-TERMINALS MINI-RELAY




Part number	Description	
Packed in blister		
927/01051120	12V 30A 5-terminals mini-relay	1

5-TERMINALS MINI-CHANGEOVER RELAY




Part number	Description	
Packed in blister		
927/01151120	12V 30A 5-terminals mini-changeover relay	1

3-TERMINAL FLASHER UNIT





Part number	Description
Packed in blister	
927/02000290	12V 42/92W DIN 3-terminal flasher unit

PUSH BUTTON




Part number	V	Functions	Embedding	Description		
Packed in blister						
927/04000025	■	12/24V	OFF-(ON)	22.2 mm	Waterproof	1

PUSH BUTTONS




Part number	V	Functions	Embedding	Description		
Packed in blister						
927/04003060	■	12/24V	OFF-(ON)	22.2 mm	Plastic	1
927/04003067	■	12/24V	OFF-(ON)	22.2 mm	Plastic	1
927/04103060	■	12/24V	OFF-(ON)	22.2 mm	Aluminium	1
927/04103067	■	12/24V	OFF-(ON)	22.2 mm	Aluminium	1

STARTER PUSH BUTTON




Part number	V	Functions	Embedding	Description		
Packed in blister						
927/04000034	■	12/24V	OFF-(ON)	16.0 mm	Waterproof	1

"ENGINE START" PUSH BUTTON





Part number	V	Functions	Embedding		
Packed in blister					
927/04000223		12/24V	OFF-(ON)	22.2 mm	1

TURN SIGNAL SWITCH



Part number	V	Functions	Embedding		
Packed in blister					
927/04000076		12/24V	ON-OFF-ON	12.2 mm	1



TOGGLE SWITCHES (PLASTIC)



Part number	V	Functions	Embedding	Description		
Packed in blister						
927/04000440		12V	ON-OFF	12.2 mm	2 terminals	1
927/04000450		12V	ON-OFF	12.2 mm	3 terminals	1
927/04000451		12V	ON-OFF	12.2 mm	3 terminals	1
927/04000453		12V	ON-OFF	12.2 mm	3 terminals	1

TOGGLE SWITCHES (METAL)



Screw connection



Part number	V	Functions	Embedding	Description	
Packed in blister					
927/04000135	12/24V	ON-OFF	12.2 mm	2 terminals	1
927/04000136	12/24V	ON-OFF-ON	12.2 mm	3 terminals	1


TOGGLE SWITCHES (METAL)

6.3mm terminals connection




Part number	V	Functions	Embedding	Description	
Packed in blister					
927/04032900	12/24V	ON-OFF	12.0 mm	2 terminals	1
927/04032910	12/24V	ON-ON	12.0 mm	6 terminals	1
927/04032920	12/24V	ON-OFF-ON	12.0 mm	3 terminals	1
927/04032930	12/24V	ON-OFF-ON	12.0 mm	6 terminals	1

PULL-SWITCH (SHORT)




Part number	V	Functions	Embedding	Description	
Packed in blister					
927/04002292	12/24V	ON-OFF	8.2 mm	2 bornes 50 mm	1

LED PULL-SWITCHES




Part number	V	Functions	Embedding	Description	
Packed in blister					
927/04020160	12/24V	ON-OFF	12.0 mm	2 terminals	1
927/04020161	12/24V	ON-OFF	12.0 mm	2 terminals	1
927/04020162	12/24V	ON-OFF	12.0 mm	2 terminals	1

ILLUMINATED ROCKER SWITCHES




Part number	V	Functions	Embedding	Description	
Packed in blister					
927/04004107	12V	ON-OFF	37.3 x 21.2 mm		1

OVAL ROCKER SWITCHES




Part number	V	Functions	Embedding	Description	
Packed in blister					
927/04013300	12/24V	ON-OFF	12.0 mm		1
927/04013304	12/24V	ON-OFF	12.0 mm	Illuminated	1
927/04013306	12/24V	ON-OFF	12.0 mm	Illuminated	1
927/04013307	12/24V	ON-OFF	12.0 mm	Illuminated	1

10,2 MM INDICATORS




Part number	V	Embedding	
Packed in blister			
927/04008094	12V	10.2 mm	1
927/04008096	12V	10.2 mm	1
927/04008097	12V	10.2 mm	1

10,2 MM INDICATORS



Part number	V	Embedding	
Packed in blister			
927/04050094		12/24V	16.0 mm
927/04050095		12/24V	16.0 mm
927/04050096		12/24V	16.0 mm
927/04050097		12/24V	16.0 mm

MINI-ALARM INDICATOR



Part number	V	Embedding	
Packed in blister			
927/04003094		12V	8.2 mm

7-POLE ALUMINIUM PLUGS & SOCKETS



Part number	Description	
Packed in blister		
924/01200007	7-pin male plug (aluminum)	1
924/02200007	7-pin male socket (aluminum)	1

7-POLE PLUGS & SOCKETS




Part number	Description	
Packed in blister		
924/01100007	7-pin male plug (plastic)	1
924/02100007	7-pin male socket (plastic)	1

13-POLE PLUGS & SOCKETS




Part number	Description	
Packed in blister		
924/01200013	13-pin male plug (plastic)	1
924/02100013	13-pin male socket (plastic)	1

7 & 13 POLE ADAPTERS




Part number	Description	
Packed in blister		
924/03000713	Mini 7-pole to 13-pole adapter	1
924/03001307	Mini 13-pole to 7-pole adapter (1/4 turn)	1

CIGAR LIGHTER SOCKET



Part number	Description	
Packed in blister		
927/00400023	Backlit cigarette lighter socket	1

CIGAR LIGHTER PLUG




Part number	Description	
Packed in blister		
927/00410010	Cigarette lighter plug with 8A fuse	1

DISCONNECTABLE BATTERY TERMINALS




Part number	Description	
Packed in blister		
925/01402001	Disconnectable "tap" type battery terminals (+/-) Universal	2

QUICK RELEASE BATTERY TERMINALS



Part number	Description	
Packed in blister		
925/01502001	Kit 2x quick-release battery terminals	2


ANTI-THEFT BATTERY TERMINAL



Part number	Description	
Packed in blister		
925/01900001	Anti-theft battery terminal	1

"PARC FERMÉ" KARTING TOOLKIT

Set of 45 essential tools for rapid intervention in closed parks



Part number	Description	
Packed in box		
950/990100	45-piece tool kit specifically designed for karting: 8 hex T-handles (2, 2.5, 3, 4, 5, 6, 7, 8mm) 12 multi-head combination wrenches (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 & 17mm) 3 multi-head ratchet combination wrenches (10, 13 & 17mm) 1 1/2" T-handle socket holder 2 1/2" sockets (10 & 22mm) & 1 1/2" magnetic socket (21mm) 1 1/2" ball joint lever 3 slotted screwdrivers (3, 4 & 6.5mm) & 2 Phillips screwdrivers (PH1 & PH2) 1 7mm hex socket screwdriver 1 assembly pliers, 1 pair of pliers 1 cutter, 1 long-nose pliers 1 utility knife 1 flat steel ruler & 1 tape measure 1 400g rubber mallet & 1 mallet with interchangeable tips 1 flat file & 1 half-round file 1 hook	1

With this tool kit, it is possible, among other things, to unlock the eccentrics, attach/remove the rear axle, the crown on the rear axle, the front and rear hubs, attach/detach the wheels and the front stiffness bar, attach the engine to the chassis, attach/detach the bumpers, the steering wheel, the data acquisition and the sensors, tighten the hose clamps, mount/remove the chain guard, place/remove the exhaust springs, adjust the carburetor, unscrew the screws of the reed box...

DAMAGED SCREWS EXTRACTORS

Ultra-resistant S2 steel




Part number	Description	
Packed in box, with hanging notch		
950/01001	Set of 3 damaged screw extractors. 3 sizes depending on the screw to be extracted.	1
Works on:		
- Flat head screws		
- Phillips head screws (PH, PZ)		
- Hex head screws		
- Star/Torx head screws		
- Spline head screws		

This set of 3 special bits is designed for removing damaged, rusted or painted screws. Ideal for use with a drill or screwdriver, in "unscrewing" mode, at the highest torque and lowest possible speed, while exerting pressure on the screw to be extracted. Optimize your work with these damaged screw extractors, offering a reliable solution for hard-to-remove screws. The ultra-strong S2 steel design ensures exceptional durability.

SET OF 9 HEX KEYS WITH EXTRACTORS

Ultra-resistant S2 steel



Part number	Description	
Packed in blister		
950/01003	9-piece HEX key set with extractor Dimensions: 1.5mm 2.0mm 2.5mm 3.0mm 4.0mm 5.0mm 6.0mm 8.0mm 10.0mm	1

9-piece HEX wrench set with extractors for damaged or rusted parts, made of ultra-resistant S2 steel. The short ends are equipped with blades to grip the softer material of damaged, worn or rusted parts in order to extract them without difficulty. The long ends are rounded (max 30°) for versatile use.

EXTERNAL DEBURRERS

High-strength tungsten blades



Part number	Description	
Packed in blister		
950/090319	Deburrer for diameters 3-19mm Max. 400 RPM	1
950/091335	Deburrer for diameters 13-35mm Max. 150 RPM	1
Packed in box		
950/093454	Deburrer for diameters 34-54mm Max. 60 RPM	1

High-strength tungsten blades are suitable for use on a variety of materials such as stainless steel, hardened steel, mild steel, copper, brass, wood, fiberglass, hard plastic, and more. Avoid using excessively high speeds for extended periods to prevent the blades from overheating. This could damage the blades, compromising the tool's performance.

MAGNETIC BIT HOLDER + 6 BITS

Rotating aluminum ring | RSC® bits



Part number	Description	
Packed in blister		
950/01002	Magnetic bit holder + 6 bits: - Phillips PH1 - Phillips PH2 - Phillips PH3 - Flat (SL) 4.0 - Flat (SL) 5.5 - Flat (SL) 6.5	1

Optimize your screwdriving experience with this durable magnetic bit holder, complete with interchangeable RSC®(*) bits for added versatility. The magnetic design makes it easy to hold bits, ensuring convenient and efficient use. The rotating aluminum ring allows for quick screwing and unscrewing. (*) RSC®: "Reduced Slip & Cam-out": patented ribbed tips prevent slipping or camming-out.

UNIVERSAL SOCKET 9-22MM

Versatile use on a multitude of prints



Part number	Description	
Packed in blister		
950/01004	9-22mm 3/8" & HEX Universal Socket Effective on: - HEX - TORX - SPLINE - Square - Triangle - Rings, butterflies, etc.	1

The 9-22mm Universal Socket features an innovative, self-adapting grip consisting of 43 spring-loaded hexagonal metal rods. This unique design allows for quick and efficient gripping of virtually any type of indentation or end.
3/8" universal socket with HEX > 3/8" adapter
Easy and secure grip on all types of imprints (12-sided, 6-sided, HEX, Torx, square, etc.)
Effective grip on hooks, butterflies, rings, etc.

6-IN-1 EXTENDABLE SCREWDRIVER

20mm - 120mm



Part number	Description	
Packed in blister		
950/01005	6-in-1 Extendable Screwdriver with Rotating Ring Multi-bit: - Phillips PH1 - Phillips PH2 - Phillips PH3 - 4mm Flat (SL) - 5mm Flat (SL) - 6mm Flat (SL)	1

The 6-in-1 Extendable Screwdriver features a robust and ergonomic design, with a bit length that can be adjusted from 20 mm to 120 mm. The bit ends allow for versatile use on Phillips PH1, PH2, PH3 screws, as well as SL4, SL5, SL6 flathead screws.

SET OF 6 SCREWDRIVERS

Ergonomic handle



Part number	Description	
Packed in box, with hanging notch		
955/900001	6-piece screwdriver set: - Phillips PH1 - Phillips PH2 - Flathead (SL) 3.0mm - Flathead (SL) 4.0mm - Flathead (SL) 6.5mm - HEX 7.0mm	1

Set of 6 premium quality ergonomic screwdrivers, covering the essential applications.

ULTRA-FLAT STACKABLE HAND TRUCK

Max payload: 125kg



Part number	Description	
Packed in box		
950/09125	Ultra-flat folding hand truck max. 125kg	1

An ultra-flat hand truck with a large platform for bulky loads. Its ultra-resistant aluminum construction and polyurethane wheels with ball bearings and 178mm puncture-proof tires make it a reliable, practical, and durable tool. The hand truck features automatically folding wheels and a platform, a push-button height-adjustable handle, and a load-holding elastic.

9	9	9	9	9	9
900/00011	8	910/60365100	12	915/50010080	16
900/00012	9	910/60455100	12	915/50010100	16
900/00013	9	915/10010020	14	915/50010125	16
900/00021	7	915/10010030	14	915/50010150	16
900/00022	8	915/10010040	14	915/50010200	16
900/00031	7	915/10010050	14	915/60002080	17
900/66001	10	915/10010075	14	915/60002100	17
902/02000	6	915/10010100	14	915/60002125	17
902/02002	6	915/10010150	14	915/60002150	17
902/18001	4	915/10010200	14	915/60002175	17
902/18002	4	915/10010250	14	915/60002200	17
902/18003	5	915/10010300	14	915/60002225	17
902/18004	5	915/10110001	14	915/60002250	17
910/50001100	12	915/19001001	18	915/60002300	17
910/50001109	12	915/20010020	14	915/60002350	17
910/50001110	12	915/20010030	14	915/60002400	17
910/50001200	12	915/20010040	14	915/60002450	17
910/50003100	12	915/20010050	14	915/60002500	17
910/50003109	12	915/20010075	14	915/70019200	17
910/50003200	12	915/20010100	14	915/70114001	17
910/50004100	12	915/20010150	14	915/80108001	17
910/50004109	12	915/20010200	14	920/10020103	22
910/50004110	12	915/20010250	14	920/10020104	22
910/50004200	12	915/20010300	14	920/10020105	22
910/50005100	12	915/20019080	14	920/10020106	22
910/50005109	12	915/20110001	14	920/10020108	22
910/50006100	12	915/21010020	15	920/10020203	22
910/50007100	12	915/21010030	15	920/10020204	22
910/50007110	12	915/21010040	15	920/10020205	22
910/50007200	12	915/21010050	15	920/10020206	22
910/50008100	12	915/21010075	15	920/10020208	22
910/50009100	12	915/21010100	15	920/10020210	22
910/50010100	12	915/21010150	15	920/10020304	22
910/50011100	12	915/21010200	15	920/10020305	22
910/50011200	12	915/21010250	15	920/10020306	22
910/50012100	12	915/21010300	15	920/10020308	22
910/50015100	12	915/21110001	15	920/10020310	22
910/50015200	12	915/29001001	18	920/10115001	23
910/50021100	12	915/29001002	18	920/10120001	23
910/50021120	12	915/29001003	18	920/10120002	23
910/50021200	12	915/30010010	15	920/21020285	23
910/50885100	12	915/30010020	15	920/21020488	23
910/50886100	12	915/30010030	15	920/21020638	23
910/51021100	12	915/30010040	15	920/21120285	24
910/51021120	12	915/30010050	15	920/21120488	24
910/51021200	12	915/30010075	15	920/21120638	24
910/51021220	12	915/30010100	15	920/22020285	23
910/51024100	12	915/30010150	15	920/22020488	23
910/51025100	12	915/30010200	15	920/22020638	23
910/51025200	12	915/30010250	15	920/22120285	24
910/52000100	12	915/30010300	15	920/22120488	24
910/52000200	12	915/30010400	15	920/22120638	24
910/53005100	13	915/30019080	15	920/23020638	23
910/53005200	13	915/30019120	15	920/23120638	24
910/53010100	13	915/30019160	15	920/24020285	23
910/53010200	13	915/30112001	15	920/24020488	23
910/53105100	13	915/30116002	15	920/24020638	23
910/53105200	13	915/31112001	15	920/25020285	23
910/53110100	13	915/39001001	18	920/25020488	23
910/53110200	13	915/39001002	18	920/25020638	23
910/54102100	13	915/39001003	18	920/26020638	23
910/54204100	13	915/39001004	18	920/31120638	24
910/54204200	13	915/40002030	16	920/32120638	24
910/55105100	13	915/40002040	16	920/34020638	23
910/55105200	13	915/40002050	16	920/35020638	23
910/55305100	13	915/40002060	16	920/36020638	23
910/55305200	13	915/40002070	16	920/41020004	24
910/56103100	13	915/40002080	16	920/41120004	25
910/56103200	13	915/40002100	16	920/42020004	24
910/56105100	13	915/40019015	16	920/42020005	24
910/56105110	13	915/40107001	16	920/42120004	25
910/56105120	13	915/49001001	19	920/42120005	25
910/56105200	13	915/49001002	19	920/43020005	24
910/56116100	13	915/50010030	16	920/43120005	25
910/56401100	13	915/50010040	16	920/44020004	24
910/56401200	13	915/50010050	16	920/45020004	24
910/57112100	13	915/50010060	16	920/45020005	24
910/57212100	13	915/50010070	16	920/46020005	24
				920/51020004	25
				920/52020004	25
				920/52020005	25
				920/54020004	25
				920/55020004	25
				920/55020005	25
				920/61020001	25
				920/62020001	25
				920/63020001	25
				920/70010001	26
				920/70010002	26
				920/70010003	26
				920/80020638	27
				920/91010001	26
				920/91120001	26
				920/92010001	26
				920/92120001	26
				920/93120001	26
				921/10110001	30
				921/10110002	30
				921/10110003	30
				921/10110004	30
				921/10110005	30
				921/10110006	30
				921/20110001	31
				921/20110002	31
				921/20110003	31
				921/20110004	31
				921/20110005	31
				921/20110006	31
				921/20110008	31
				922/11005006	28
				922/11005008	28
				922/12005006	28
				922/12005008	28
				922/13005006	28
				922/13005008	28
				922/13005010	28
				922/14005006	28
				922/14005008	28
				922/14005010	28
				922/15005008	28
				922/15005010	28
				922/16005008	28
				922/16005010	28
				922/16005013	28
				922/21005006	29
				922/21005008	29
				922/22005006	29
				922/22005008	29
				922/23005006	29
				922/23005008	29
				922/23005010	29
				922/24005008	29
				922/24005010	29
				922/25005008	29
				922/25005010	29
				922/25005013	29
				922/26005010	29
				922/26005013	29
				922/32005001	28
				922/33005001	28
				922/34005001	28
				922/35005001	28
				922/36005001	28
				923/10010032	27
				923/10010048	27
				923/10010064	27
				923/10010095	27
				923/10010127	27
				923/10010191	27
				923/10010999	27
				924/01100007	40
				924/01200007	40
				924/01200013	40
				924/02100007	40
				924/02100013	40
				924/02200007	40
				924/03000713	41
				924/03001307	41
				925/01102001	42
				925/01202001	42
				925/01302001	42
				925/01302002	42
				925/01402001	43
				925/01502001	43
				925/01900001	43
				926/01000001	20
				926/01000002	20
				926/01500001	20
				926/01500002	20
				926/02500001	20
				926/02500002	20
				926/10000510	21
				926/10004002	22
				926/50750001	20
				926/50750002	20
				926/51000001	20
				926/51000002	20
				926/51000003	20

9

927/04032900	36
927/04032910	36
927/04032920	36
927/04032930	36
927/04050094	39
927/04050095	39
927/04050096	39
927/04050097	39
927/04103060	34
927/04103067	34
928/00090219	21
928/00090419	21
928/00090719	21
928/01001102	21
928/01001112	21
950/01001	45
950/01002	46
950/01003	45
950/01004	47
950/01005	47
950/090319	46
950/09125	48
950/091335	46
950/093454	46
950/990100	44
955/900001	48
970/010001	11
970/010010	11
970/010011	11
970/010020	11
970/010021	11
970/010022	11
970/010023	11
970/020001	11
970/020010	11
970/020011	11



WWW.DRIVE-EQUIPMENT.COM

WWW.DRIVE-EQUIPMENT.COM

CASTEELS France sàrl

ZA du Champ de Courses
76560 Doudeville - FRANCE

EXPORT EUROPE & USA

 +32 (0)2 648 35 17

 +32 (0)2 648 65 95

 info@casteels.fr

FRANCE & DOM/TOM

 +33 (0)2 32 70 64 02

 +33 (0)2 32 70 64 20

 contact@casteels.fr